





versión positiva



versión negativa



versión positiva /
pantone **5477C**



versión positiva /
pantone **131C**



versión positiva /
pantone **black 7c**



LORCA
SOLVMGRA
VMCASTRV
UPERASTRA
ATVMENSISM
ANSPRAVISR
NITVTISSIM



LORCA
SOLVMGRA
VMCASTRV
UPERASTRA
ATVMENSISM
ANSPRAVISR
NITVTISSIM



LORCA
SOLVMGRA
VMCASTRV
UPERASTRA
ATVMENSISM
ANSPRAVISR
NITVTISSIM



LORCA
SOLVMGRA
VMCASTRV
UPERASTRA
ATVMENSISM
ANSPRAVISR
NITVTISSIM






x= 114 mm
y= 226 mm

y

x







x








x= 251 mm
y= 189 mm

x


y








x= 250 mm
y= 363 mm










x= 54 mm
y= 85 mm

y

x





x= 348 mm
y= 310 mm

y

x



LORCA
LVMGRAT
CASTRVMS
RASTRALOC
MENSISMIN
PRAVISREG



EXPEDIENTE RELATIVO A:

N.º

AÑO

SIGNATURA

LORCA
LVMGRAT
CASTRVMS
RASTRALOC
MENSISMIN
PRAVISREG



Asunto

N.º

AÑO

SIGNATURA